

CENTRIFUGAL **BLOWERS** & FANS



MAHESH
BLOWERS

AN ISO 9001:2015 Certified Company

www.maheshblowers.com

CENTRIFUGAL BLOWERS

we has developed a series of Blowers for almost all the industrial requirements. Centrifugal Blowers designed and supplied efficient, reliable & sturdy. These are categorized by their pressure generation capacities & Drive types.

MAHESH has developed a series of Blowers for almost all the industrial requirements. Centrifugal Blowers designed and supplied by MAHESH are proven, efficient, reliable & sturdy. These are categorized by their pressure generation capacities & Drive types.

Centrifugal Blower / Industrial Blowers can be considered as the Important Part of any processing industry. It is known as many types like ID Fan, FD Fan, Industrial Blower, High Pressure Fan, Kitchen Exhaust Fan Hot Air Circulation fan according to application.


MAHESH Supplies following types of impellers bases on application requirement.

- Radial Blade
- Backward Curved / Backward Inclined
- Forward Curved
- Airfoil Blades




OPERATING RANGE:

- We Supplies Following Types of Blowers Bases on Application Requirement:
- **Type of Fan :** SWSI FAN / DWDI FANS
- **Drive Type :** Direct / V-Belt / Coupling
- **Fans Ranges :** High/ Medium/ Low Pressure fan
- **Air Flow (Capacity)** up to 200000 m³/hr
- **Static Pressure Range** up to 1200 WCM
- **Material of Construction :** Mild Steel, Stainless Steel, Aluminum, Galvanized Steel



FAN ROTATION AND DISCHARGE POSITION FROM THE DRIVE END



FANS

AXIAL FLOW FANS, BIFURCATED FANS, MAN COOLER FAN, PRODUCT COOLING FAN, WALL MOUNT FAN

FEATURE

- Sweep Diameter Range : 310 to 1200 mm (12" to 48")
- Airflow Range : 1000 to 40000 CFM
- Static Pressure Range : 0 to 75 mm WC (0" to 3" WC)
- Motor Rating Range : 0.5 to 20 HP
- Drive : Direct / V-Belt
- M.O.C. : MS / SS
- RPM : 720 to 1440 Rpm / 2800 Rpm



FLOOR MOUNTED AXIAL FAN



PRODUCT COOLING FAN



WALL MOUNTED MAN COOLER FAN



TUBE AXIAL V-BELT DRIVE



TUBE AXIAL FAN DIRECT DRIVE



HOT AIR BLOWERS

WE SUPPLY HOT AIR BLOWERS & FANS AS PER CUSTOMER REQUIREMENT. Hot Air Drying Application For Production Line.

FEATURE

- Temperature : 10 deg c' to 150 deg c'
- Kw : 3 kw, 6 kw, 9kw, 12kw, 15 kw
- HP : 1 hp to 5 hp
- Power Source : Electrical Source
- Electrical panel display with auto cutoff range
- Trolley Mountand for Easy Movable

Application: remove to moisture, moisture remover hot air , drying application, hot air dry, production line for remove moisture, food industry, color ink drying application, Woven Flexographics, flexographic printing machine application, paper pack industry,



AXIAL FAN TYPE HOT AIR BLOWER



HOT AIR BLOWER



HOT AIR DRYER

DUST COLLECTION SYSTEM / FUME EXHUAUST SYSTEM

Product Description


Our organization has successfully expanded its business in market owing to the offered elevated quality array of Cyclone Dust Collector. Provided collector are extensively used in industrial and commercial sector for separating dust and other impurities from air or gas. These collectors are known for the attributes like rugged construction, corrosion resistance and durability. Apart from this, our valued customer can avail this Cyclone Dust Collector from us at industry leading prices which are available in several sizes and specifications.



SINGLE/DOUBLE BEG DUST COLLECTOR



PORTABLE DUST COLLECTOR



SAW DUST COLLECTOR SYSTEM



SINCE 2002

MAHESH FABRICATORS

AN ISO 9001:2015 Certified Company

Shed No. 01, Mahadev Industrial Estate-5, Nr. Ramol Police Station, Ramol Road, C.T.M, Ahmedabad-380026

Office : 079-2585 3324 / 079-29703524 Mo. : 99988 43324 / 94273 24492

Email : maheshfabricators@yahoo.com / info@maheshblowers.com

web : www.maheshfabricators.in / www.maheshblowers.com